



model
SK+SZ

Fixed panel for recess or corner shower trays with additional fixed panel.

**Fixed panel (Walk in)
Niche**

collection
Sk-in

All the shower cabins of the Sk-In series are characterized by the fact that they are shower enclosures without a door. They can be made up of one or more panels of fixed glass. The use of 8 mm thick glass and a stiffening bar guarantee the absolute solidity of the shower enclosure.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

FINISHES

Glass pane

- 01 - Obscure glass
- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 08 - Satin glass
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiaro
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola
- P30 - Frame Decor



Decorations

- D50 - D50
- D51 - D51
- D52 - D52
- D54 - D54
- D55 - D55
- D60 - D60
- D61 - D61



Anodised profiles

- 09 - Black
- 21 - Bright silver
- 23 - Bright gold
- 31 - Satin silver
- 32 - Satin bronze
- 34 - Satin Copper
- 35 - Matt Gold
- 39 - Metal gun
- 61 - Brushed steel



Varnished profiles

- 05 - Red
- 07 - Yellow
- 10 - Pergamon
- 11 - Grey
- 12 - Green
- 13 - Light blu
- 14 - White
- 15 - Matt white



OPTIONAL


- Alias
- Amico
- Screen
- Treatment preventing limescale (TPA)
- Virgola
- Hardening rod -K- and -T-
- Basket
- Personal Glass
- Radiating Wall
- Vi.p

PLUS

- S.M.F. (easily mounting system)
- Custom Made (cm by cm)
- Hardening rod K100
- Certified product CE

ELEMENTS

that compose
the model SK+SZ



SK

Fixed panel for recess or corner shower trays.

FEATURES


- Extensible 20 mm
- Horizontal and vertical adjustment
- S.M.F. (easily mounting system)
- Hardening rod K100
- It can be combined with one element SZ or SY
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)
- NOTE: SK is always custom made (cm by cm). Please, always specify if left SX or right DX.

DIMENSIONS

- Min 78 - Max 200 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.



SZ

Additional fixed panel SZ for elements SB or SK.

FEATURES

- Easy to install thanks to the already assembled aluminium profile
- S.M.F. (easily mounting system)
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)
- NOTE: The panel SZ is always custom made (cm by cm). Item code (expressed cm by cm) refers to the dimension of the element.

DIMENSIONS

- Min 20 - Max 40 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.