



model  
**T15**

Model 160x80 – for installation on Gemini shower trays or directly on floor. 3-sided model for the shower enclosure complete with the storage space. The storage space can be fitted with shelves or can contain household appliances in full compliance with the standards on the use of electrical appliances in the bathroom. In this configuration, the shower enclosure Twin has been designed for installation on Gemini shower trays or on the adequately prepared floor.

**Pivot door  
Wall**

collection  
**Twin**

The Twin series have a hinged opening, both for the shower side and for the useful space. The door of the technical compartment is always made with a mirror, to have a large reflecting surface in the bathroom. In all the models the door opens outwards.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

---

## FINISHES

### Glass pane

- 03 - Clear bronze
- 04 - Clear glass
- 07 - Clear grey
- 08 - Satin glass
- 12 - Cristallo extrachiaro



### Knobs and handles

M6T



### Anodised profiles

- 21 - Bright silver
- 31 - Satin silver



### Varnished profiles

- 14 - White
- 15 - Matt white



---

## OPTIONAL


- Treatment preventing limescale (TPA)
- Gemini
- Virgola
- Basket
- Personal Glass
- Radiating Wall
- Vi.p
- Screen

## PLUS

- Magnetic strips
- Suitable for the installation of electrical household appliances.
- Certified product CE
- S.M.F. (easily mounting system)
- Custom Made (cm by cm)

# ELEMENTS

that compose  
the model T15



## T15

Double unit made of a technical space and a shower space, suitable for installation on Gemini shower tray 80x160 cm. or directly on the floor.

### FEATURES

- Outward opening door
- Magnetic strips
- Minimum adjustment 20 mm.
- Horizontal and vertical adjustment
- PVC lower profiles for waterproof
- S.M.F. (easily mounting system)
- Upper profile of stability
- Suitable for the installation of electrical household appliances.
- Possibility to equip with shelves (not included).
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)
- NOTE: The two doors opens in parallel (either right hand or left hand). The door of the technical space allows an entrance of about 70 cm.

### DIMENSIONS

- Min 155 - Max 165 cm
- Height 195 cm

### MATERIALS

- Anodised or enamelled aluminium profile.
- Door of the technical space with mirror surface, white lacquered back side
- Fixed separating panel in extra light glass, white lacquered
- Tempered safety glass 6 mm for the doors
- Tempered safety glass 8 mm for the fix elements