



model

LN

Frameless shower enclosure for recessed shower trays with a 180° pivot door. The standard height of the complete programme is 195 cm, so to propose Linea as natural complement of the new generation of shower trays, partially or totally built in.

Pivot door
Niche

collection
Linea

Series Linea of shower enclosures have a hinged opening. In all the models the door opens to the outside, some even towards the inside.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

FINISHES

Glass pane

- 01 - Obscure glass
- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 08 - Satin glass
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiario
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola
- P30 - Frame Decor



Decorations

- D50 - D50
- D51 - D51
- D52 - D52
- D54 - D54
- D55 - D55
- D60 - D60
- D61 - D61
- P56 - P56



Knobs and handles

M7LS



Anodised profiles

- 09 - Black
- 21 - Bright silver
- 23 - Bright gold
- 31 - Satin silver
- 32 - Satin bronze
- 34 - Satin Copper
- 35 - Matt Gold
- 39 - Metal gun
- 61 - Brushed steel



Varnished profiles

- 05 - Red
- 07 - Yellow
- 10 - Pergamon
- 11 - Grey
- 12 - Green
- 13 - Light blu
- 14 - White
- 15 - Matt white



OPTIONAL

- Amico
- Treatment preventing limescale (TPA)
- Virgola
- Alias
- Basket
- Personal Glass
- Vi.p
- Screen

PLUS

- Magnetic strips
- S.M.F. (easily mounting system)
- Custom Made (cm by cm)
- Certified product CE

ELEMENTS

that compose
the model LN



LN

Frameless shower enclosure with
one pivot door (180°) for recess.

FEATURES

- Extensible 30 mm
- Horizontal and vertical adjustment
- Magnetic strips
- Inward and outward opening
- S.M.F. (easily mounting system)
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)
- NOTE: Please, always advise the exact dimensions of the recess.
Please always specify if left SX or right DX opening.

DIMENSIONS

- Min 68 - Max 99 cm
- Height 195 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 6 mm.