



model  
**ZT**

Sliding shower enclosure for rounded shower trays (R=55 cm)  
The fixed glass parts are inserted into profiles with self-locking seals, guaranteeing an absolute overall stability and excellent water resistance, without use of silicone for bonding and sealing components. The perfect sliding of the doors is guaranteed by sliders with double ball be. It also suitable for asymmetric shower trays. R=55 cm

**Sliding door  
Quadrant**

collection  
**Serie 7000**

All the 7000 series shower enclosures have a sliding opening. This type of opening is useful for optimizing space and also allows you to avoid falling drops on the floor when leaving the shower. The doors are hung on the upper rail for means of trolleys fixed directly to the glass.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

---

## FINISHES

### Glass pane

- 01 - Obscure glass
- 04 - Clear glass
- 08 - Satin glass



### Knobs and handles

M8ZS



### Anodised profiles

- 21 - Bright silver
- 31 - Satin silver



### Varnished profiles

14 - White



---

## OPTIONAL

- Treatment preventing limescale (TPA)
- Amico
- Virgola
- Vi.p
- Screen

## PLUS

- This model is produced without silicon
- Certified product CE
- Reversibility
- Maximum opening space

# ELEMENTS

that compose  
the model ZT



## ZT

Shower enclosures with sliding doors for round trays (R. 55 cm)

### FEATURES

- Extensible 3 cm each side.
- Reversibility
- Magnetic strips
- Vertical adjustment of doors
- Ball bearings
- Stoppers
- Product conforming to EN14428:2015 with CE marking
- Possibility of adjustment longitudinal of doors and an easy final adjustment before sealing
- NOTE: Suitable for round shower trays R. 55 cm. The radius of the rounded shower tray must be checked by the customer.

### DIMENSIONS

- Min 78 - Max 101 cm
- Height 195 cm

### MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 6 mm.