



model
D4+DG

Shower enclosure in corner with fixed panel and opening side with two central sliding doors. Innovative and original sliding system: the movement is guaranteed by sliders that can be settled for a perfect calibration of the door.

Sliding door
Corner

collection
Gliss

All the Gliss series shower enclosures have a sliding opening. Ideal solution to optimize space; It is also excellent for preventing drops from falling on the floor when leaving the shower.

The sliding is ensured by special floating pads, adjustable for perfect door calibration. The innovative material guarantees an always perfect movement, thanks to its self-lubricating and self-cleaning properties, tested through years of experience in aggressive working environments.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

FINISHES

Glass pane

- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 08 - Satin glass
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiaro
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola



Decorations

- D50 - D50
- D51 - D51
- D52 - D52
- D54 - D54
- D55 - D55
- D60 - D60
- D61 - D61
- P56 - P56



Knobs and handles

M10G



Anodised profiles

- 21 - Bright silver
- 31 - Satin silver



Varnished profiles

14 - White



OPTIONAL

- Alias
- Amico
- Basket
- Personal Glass
- Treatment preventing limescale (TPA)
- Virgola
- Screen printed stripe
- Vi.p
- Screen

PLUS

- Magnetic strips
- Sliding system by special floating sliders
- Door with releasable system
- S.M.F. (easily mounting system)
- Certified product CE
- Custom Made (cm by cm)
- Smart compensation without U profile
- Bonded aluminum supports

ELEMENTS

that compose
the model D4+DG



D4

Sliding shower enclosure, composed by two fixed panels and two central doors, for shower trays in recess.

FEATURES

- Door with releasable system
- Possibility to use standard compensating profile AS10
- Product conforming to EN14428:2015 with CE marking
- Extensible 60 mm. without compensating profile
- S.M.F. (easily mounting system)
- Sliding system by special floating sliders
- Horizontal and vertical adjustment
- Magnetic strips
- Custom Made (cm by cm)
- NOTE: Please always advise the exact dimensions of the recess. The dimension of the doors is approximately half of the recess.

DIMENSIONS

- Min 140 - Max 219 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.



DG

Additional fixed panel for corner or three sided shower enclosure.

FEATURES

- Possibility to use standard compensating profile AS10
- Product conforming to EN14428:2015 with CE marking
- Extension of 20 mm without wall profile
- S.M.F. (easily mounting system)
- It can be assembled to all elements of Gliss programme.
- Horizontal and vertical adjustment
- Custom Made (cm by cm)

DIMENSIONS

- Min 68 - Max 120 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.