



model  
**GM**

Framed shower enclosure with folding door and fixed panel aligned for recessed shower tray. Reversible and extensible 6 cm in recess. Junior GN is incredibly versatile and suitable to solve multiple installation situations. The door can be easily released for the cleaning and maintenance of the shower unit.

**Folding door  
Niche**

collection  
**Junior**

Some Junior series shower enclosures have a folding opening. In these shower enclosures the door folds into a book. The door can be unhooked quickly to allow easy cleaning and with an "anti-panic" function.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

## FINISHES


### Glass pane

- 01 - Obscure glass
- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 08 - Satin glass
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiaro
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola



### Decorations

- D50 - D50
- D51 - D51
- D52 - D52
- D54 - D54
- D55 - D55
- D60 - D60
- D61 - D61
- P56 - P56



### Knobs and handles

M7LS



### Anodised profiles

- 09 - Black
- 21 - Bright silver
- 23 - Bright gold
- 31 - Satin silver
- 32 - Satin bronze



### Varnished profiles

- 05 - Red
- 07 - Yellow
- 10 - Pergamon
- 11 - Grey
- 12 - Green
- 13 - Light blu
- 14 - White
- 15 - Matt white



## OPTIONAL

- Alias
- Amico
- Basket
- Personal Glass
- Screen
- Treatment preventing limescale (TPA)
- Virgola
- Vi.p
- Screen

## PLUS

- Magnetic strips
- Reversibility
- The hinges are fixed directly to the glass with flat screws
- The door can be quickly uncoupled and opened outwards
- This model is produced without silicon
- Certified product CE

# ELEMENTS

that compose  
the model GM



## GM

Shower enclosure with folding door and an aligned fixed element.

### FEATURES

- It can be assembled with element GF to obtain a corner or shower enclosure.
- Extensible 6 cm in recess. Extensible 4,5 cm in corner installations.
- Horizontal and vertical adjustment, after installation accomplished
- Reversibility
- The hinges are fixed directly to the glass with flat screws
- The door can be quickly uncoupled and opened outwards
- Certified product CE
- This model is produced without silicon

### DIMENSIONS

- Min 90 - Max 137 cm
- Height 195 cm

### MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 6 mm.