



model
CN+CP

Sliding door for shower tray next to the bathtub or a low wall.

**Sliding door
Above wall**

collection
Serie 8000

All the shower cabins of the 8000 series have a sliding opening. This opening allows you to optimize the space and is also excellent to prevent drops from falling on the floor when leaving the shower. The sliding of the doors is ensured by trolleys equipped with ball bearings, adjustable in height, for a soft and silent movement. The carriages with ball bearings run inside the guide profile. Hidden from view, they are protected from dust and limescale, for optimal functioning guaranteed over time.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

FINISHES

Glass pane

- 01 - Obscure glass
- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 08 - Satin glass
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiaro
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola



Decorations

- D51 - D51
- D52 - D52
- D54 - D54
- D55 - D55
- D60 - D60
- D61 - D61



Knobs and handles

M4S



Anodised profiles

- 21 - Bright silver
- 23 - Bright gold
- 31 - Satin silver
- 32 - Satin bronze
- 34 - Satin Copper
- 35 - Matt Gold
- 39 - Metal gun
- 61 - Brushed steel



Varnished profiles

14 - White



OPTIONAL

- Alias
- Amico
- Basket
- Personal Glass
- Treatment preventing limescale (TPA)
- Virgola
- Vi.p
- Screen

PLUS

- Magnetic strips
- Custom Made (cm by cm)
- Smart compensation without U profile
- Door with releasable system
- Soft rail
- S.M.F. (easily mounting system)
- Certified product CE

ELEMENTS

that compose
the model CN+CP



CN

Sliding shower enclosure, for shower trays in recess.

FEATURES

- Custom Made (cm by cm)
- Possibility to use standard compensating profile AS10
- Door with releasable system
- Magnetic strips
- S.M.F. (easily mounting system)
- Soft rail
- Horizontal and vertical adjustment
- Extension of 30 mm without wall profile
- Product conforming to EN14428:2015 with CE marking
- Rollers with ball bearings
- NOTE: Please always advise the exact dimensions of the recess and specify if DX right or SX left opening. The dimension of the door is approximately half of the recess.

DIMENSIONS

- Min 97 - Max 180 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.



CP

Fixed panel for shower tray positioned next to a bath tub or a low wall.

FEATURES

- Extensible 20 mm
- Possibility of adjustment
- It can be assembled to all elements of Serie 8000 programme.
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)

DIMENSIONS

- Min 60 - Max 100 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.