



model
C4+CP

Sliding door for corner shower tray next to the bathtub or a low wall. The shower enclosure consists of two central sliding doors and two fixed panels.

Sliding door
Above wall

collection
Serie 8000

All the shower cabins of the 8000 series have a sliding opening. This opening allows you to optimize the space and is also excellent to prevent drops from falling on the floor when leaving the shower. The sliding of the doors is ensured by trolleys equipped with ball bearings, adjustable in height, for a soft and silent movement. The carriages with ball bearings run inside the guide profile. Hidden from view, they are protected from dust and limescale, for optimal functioning guaranteed over time.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

FINISHES

Glass pane

- 01 - Obscure glass
- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 08 - Satin glass
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiaro
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola



Decorations

- D51 - D51
- D52 - D52
- D54 - D54
- D55 - D55
- D60 - D60
- D61 - D61



Knobs and handles

M4S



Anodised profiles

- 21 - Bright silver
- 23 - Bright gold
- 31 - Satin silver
- 32 - Satin bronze
- 34 - Satin Copper
- 35 - Matt Gold
- 39 - Metal gun
- 61 - Brushed steel



Varnished profiles

14 - White



OPTIONAL

- Alias
- Amico
- Basket
- Personal Glass
- Treatment preventing limescale (TPA)
- Virgola
- Vi.p
- Screen

PLUS

- Magnetic strips
- Custom Made (cm by cm)
- Smart compensation without U profile
- Door with releasable system
- Soft rail
- S.M.F. (easily mounting system)
- Certified product CE

ELEMENTS

that compose
the model C4+CP



C4

Sliding shower enclosure for
shower trays in recess.

FEATURES

- Extensible 60 mm. without compensating profile
- Door with releasable system
- Magnetic strips
- Rollers with ball bearings
- Horizontal and vertical adjustment
- S.M.F. (easily mounting system)
- Product conforming to EN14428:2015 with CE marking
- Possibility to use standard compensating profile AS10
- NOTE: Shower enclosure Serie 8000 "C4" is always custom made (cm by cm).
Unless specific requests, the dimension of the door is approximately half of the recess

DIMENSIONS

- Min 140 - Max 219 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.



CP

Fixed panel for shower tray
positioned next to a bath tub or a
low wall.

FEATURES

- Extensible 20 mm
- Possibility of adjustment
- It can be assembled to all elements of Serie 8000 programme.
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)

DIMENSIONS

- Min 60 - Max 100 cm
- Height 200 cm

MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.