



model  
**SY+SB+SY**

Separating fix panel for wall shower trays. It's equipped with two additional fixed panels with hinges.

**Fixed panel (Walk in)  
Wall**

collection  
**Sk-in**

All the shower cabins of the Sk-In series are characterized by the fact that they are shower enclosures without a door. They can be made up of one or more panels of fixed glass. The use of 8 mm thick glass and a stiffening bar guarantee the absolute solidity of the shower enclosure.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

## FINISHES


### Glass pane

- 01 - Obscure glass
- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 08 - Satin glass
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiaro
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola



### Anodised profiles

- 09 - Black
- 21 - Bright silver
- 23 - Bright gold
- 31 - Satin silver
- 32 - Satin bronze
- 61 - Brushed steel



### Varnished profiles

- 05 - Red
- 07 - Yellow
- 10 - Pergamon
- 11 - Grey
- 12 - Green
- 13 - Light blu
- 14 - White
- 15 - Matt white



## OPTIONAL


- Alias
- Hardening rod -K- and -T-
- Basket
- Personal Glass
- Treatment preventing limescale (TPA)
- Virgola
- Vi.p
- Screen

## PLUS

- S.M.F. (easily mounting system)
- Custom Made (cm by cm)
- Hardening rod K100
- Certified product CE

# ELEMENTS

that compose  
the model SY+SB+SY



## SB

Separating wall.

### FEATURES


- 2 hardening rods K100.
- S.M.F. (easily mounting system)
- It can be combined with one or two elements SZ or SY
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)
- NOTE: The separating wall "SB" is always custom made (cm by cm). Item code (expressed cm by cm) refers to the dimension of the element.

### DIMENSIONS

- Min 118 - Max 200 cm
- Height 200 cm

### MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.



## SY

Additional pivoting panel for SB or SK

### FEATURES

- The hinges are already installed on the pivoting panel
- S.M.F. (easily mounting system)
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)

### DIMENSIONS

- Min 20 - Max 40 cm
- Height 200 cm

### MATERIALS

- Anodised aluminium profiles
- Tempered safety glass 8 mm.