



model

**LG+LM+LG**

Shower enclosure for recessed shower tray. One pivot door 180° and 2 in line fixed elements combined with two fixed elements for installation on 3-sided shower tray.

**Pivot door**  
**Wall**

collection  
**Linea**


Series Linea of shower enclosures have a hinged opening. In all the models the door opens to the outside, some even towards the inside.

Discover where to buy this shower enclosure designed by Vismaravetro > [Store locator](#)

## FINISHES

### Glass pane

- 01 - Obscure glass
- 03 - Clear bronze
- 04 - Clear glass
- 06 - Reflecting glass
- 07 - Clear grey
- 10 - Crystal Extra-reflex
- 12 - Cristallo extrachiaro
- 14 - Crystal Extra-light satin
- 19 - Cristallo madras
- 29 - Crystal Madras Nuvola



### Decorations

- D50 - D50
- D51 - D51
- D52 - D52
- D54 - D54
- D55 - D55
- D60 - D60
- D61 - D61
- P56 - P56



### Knobs and handles

M7LS



### Anodised profiles

- 09 - Black
- 21 - Bright silver
- 23 - Bright gold
- 31 - Satin silver
- 32 - Satin bronze
- 34 - Satin Copper
- 35 - Matt Gold
- 39 - Metal gun
- 61 - Brushed steel



### Varnished profiles

- 05 - Red
- 07 - Yellow
- 10 - Pergamon
- 11 - Grey
- 12 - Green
- 13 - Light blu
- 14 - White
- 15 - Matt white



## OPTIONAL

- Alias
- Amico
- Basket
- Radiating Wall
- Personal Glass
- Treatment preventing limescale (TPA)
- Vi.p
- Virgola
- Screen

## PLUS

- Magnetic strips
- S.M.F. (easily mounting system)
- Custom Made (cm by cm)
- Certified product CE

# ELEMENTS

that compose  
the model LG+LM+LG



## LG

Fixed element for corner or 3 sided shower enclosure

### FEATURES

- It can be assembled with LB L2 LZ L3
- Extensible 20 mm
- Horizontal and vertical adjustment
- Profile of stability integrated
- S.M.F. (easily mounting system)
- Product conforming to EN14428:2015 with CE marking
- Custom Made (cm by cm)
- Possibility of installation on 3-sided shower tray.
- NOTE: Please, always advise the exact dimensions of the installed shower tray and specify if left SX or right DX.

### DIMENSIONS

- Min 68 - Max 120 cm
- Height 195 cm

### MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 8 mm.



## LM

Shower enclosure for recessed shower tray. One pivot door 180° and two in line fixed elements.

### FEATURES

- Extensible 40 mm
- Horizontal and vertical adjustment
- Magnetic strips
- Inward and outward opening
- It can be assembled with a fix element LG to obtain a corner or 3-sided shower enclosure
- Profile of stability integrated
- S.M.F. (easily mounting system)
- Certified product CE

### DIMENSIONS

- Min 120 - Max 179 cm
- Height 195 cm

### MATERIALS

- Anodised or enamelled aluminium profile.
- Tempered safety glass 6 mm for the door
- Tempered safety glass 8 mm for the fix elements